

Southlake Family Medicine Flu Vaccination Availability and Target Populations

Vaccine Type	Available		Targeted Patient Recipients/ Doses Recommended
H1N1 Swine Flu Vaccine			
	NO	YES	
Live Attenuated Intranasal Vaccine (Flumist)		•	<p>Children age 2 through 4 years who are healthy: (2 doses 4 weeks apart)</p> <p>Family contacts and caregivers of infants less than 6 months age: Children 2 years old to nine years old (2 doses 4 weeks apart) Children 9 years old and adults through 49 years of age (1 dose)</p>
Inactivated Vaccine	•		
Preservative Free Inactivated Vaccine	•		
Seasonal Flu Vaccine			
	NO	YES	
Live Attenuated Intranasal Vaccine (Flumist)		•	<p>Healthy patients age 2 through 49: Children 2 years old to nine years old (2 doses 4 weeks apart the first year of vaccination; 1 dose if vaccinated against flu in prior years) Children 9 years old and adults through 49 years of age (1)</p>
Inactivated Vaccine	•		
Preservative Free Inactivated Vaccine		•	<p>Children age 6 months through 35 months to include healthy children and children with underlying medical conditions: 2 doses 4 weeks apart the first year of vaccination against flu 1 dose for children who received seasonal flu vaccine in a prior year</p>